

APPENDIX D

Plant Species Observed Within the Mifabel Fish Ladder and Fish Screen Replacement Project Area

Plants Observed at Mirabel Fish Ladder and Fish Screen Project Site - May 21, 2012.

Scientific Name	Common Name	Family	Habitat
<i>Acer negundo</i>	box elder	Aceraceae	valleys, along streams
<i>Agrostis exarata</i>	spike bent	Poaceae	streamsides, damp or wet places
<i>Anagallis arvensis</i>	pimpernel	Primulaceae	disturbed places
<i>Anthriscus caucalis</i>	bur-chervil	Apiaceae	waste places
<i>Artemisia douglasiana</i>	mugwort	Asteraceae	Open to shady places
<i>Arundo donax</i>	giant reed	Poaceae	moist places, streamsides, very invasive
<i>Avena fatua</i>	wild oats	Poaceae	disturbed places, open slopes
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	coyote bush	Asteraceae	hillsides, canyons
<i>Briza minor</i>	lquaking grass	Poaceae	shaded or moist open sites
<i>Bromus diandrus</i>	ripgut	Poaceae	disturbed places, fields
<i>Carex nudata</i>	torrent sedge	Cyperaceae	beds, edges of perennial stream banks
<i>Conium maculatum</i>	poison hemlock	Apiaceae	moist, especially disturbed places
<i>Cynosurus echinatus</i>	Hedgehog dogtail	Poaceae	fields, waste places
<i>Elymus glaucus</i>	wild rye grass	Poaceae	grassy and wooded places
<i>Erodium cicutarium</i>	storksbill	Geraniaceae	open cultivated and dry areas
<i>Foeniculum vulgare</i>	fennel	Apiaceae	waste places
<i>Fraxinus latifolia</i>	Oregon ash	Oleaceae	canyons and near streams
<i>Galium aparine</i>	bedstraw	Rubiaceae	grassy, half-shady places
<i>Hirschfeldia incana</i> (<i>Brassica geniculata</i>)	wild mustard	Brassicaceae	Roadsides, creek bottoms, disturbed areas
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	Mediterranean barley	Poaceae	dry to moist disturbed sites
<i>Juncus</i> sp.		Juncaceae	
<i>Lolium multiflorum</i>	Italian ryegrass	Poaceae	disturbed sites
<i>Marah fabaceus</i>	man-root	Cucurbitaceae	common, slopes, embankments
<i>Medicago polymorpha</i>	California bur-clover	Fabaceae	waste places, grasslands
<i>Mentha pulegium</i>	common mint, pennyroyal	Lamiaceae	low damp places

<i>Mentha spicata</i>	spearmint	Lamiaceae	
<i>Pentagramma triangularis</i>	goldback fern	Pteridaceae	summerdried slopes, partial shade
<i>Phalaris aquatica</i>	Harding grass	Poaceae	open places
<i>Picris echioides</i>	ox-tongue	Asteraceae	waste places
<i>Poa annua</i>	annual bluegrass	Poaceae	fields, moist, disturbed areas
<i>Polypogon monspeliensis</i>	rabbit-foot grass	Poaceae	low moist places
<i>Populus fremontii</i>	Fremont cottonwood	Salicaceae	along waterways
<i>Quercus agrifolia</i>	coast live oak	Fagaceae	flatlands, slopes
<i>Quercus lobata</i>	valley oak	Fagaceae	bottomlands, adjacent hills
<i>Rosa sp.</i>	woodland rose	Rosaceae	
<i>Rubus discolor</i>	Himalayan blackberry	Rosaceae	thickets
<i>Rubus ursinus</i>	California blackberry	Rosaceae	woods, damp places
<i>Rumex pulcher</i>	fiddle dock	Polygonaceae	waste places
<i>Salix exigua</i>	narrow-leaf willow, sandbar willow	Salicaceae	along streams
<i>Salix laevigata</i>	red willow	Salicaceae	along streams
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	arroyo willow	Salicaceae	along streams
<i>Sambucus mexicana</i>	blue elderberry	Caprifoliaceae	common, open places
<i>Scrophularia californica</i>	figwort	Scrophulariaceae	"+/- damp places, common"
<i>Sonchus asper</i>	prickly sow thistle	Asteraceae	disturbed areas
<i>Taraxacum officinale</i>	dandelion	Asteraceae	widely scattered
<i>Toxicodendron diversilobum</i>	poison oak	Anacardiaceae	variable, common
<i>Urtica dioica</i> ssp. <i>gracilis</i>	stinging nettle	Urticaceae	wet, brushy thickets
<i>Veronica anagallis-aquatica</i>	speedwell	Scrophulariaceae	wet places
<i>Vicia sp.</i>		Fabaceae	
<i>Vinca major</i>	greater periwinkle	Apocynum	escaped invasive, moist shaded places
<i>Vulpia bromoides</i>	annual fescue	Poaceae	marshes, moist flats