Alphonse Petracco, Director

Department of Public Safety Monthly Reports- March 2018

Police

Fire

Municipal Court

NVERS



Nutley Police Department Monthly Report March 2018

Incident Type	Count	
Calls for Service	6,258	
Medical Calls	215	
Motor Vehicle Accidents	100	
Alarm(s)	151	
911 Calls	515	
Directed Patrols	1962	
Arrests	36	

FBI Uniform Crime Report Part 1 Offenses

Homicide	0
Rape	0
Robbery	0
Assault	6
Burglary	2
Burglary to Auto	6
Theft	13
MV Theft	1

Total 28



Nutley Fire Department Monthly Director's Report Alarm Dates 3/1/2018 thru 3/31/2018

Incident Type		Count
Fire		
Building Fire		1
Cooking fire, confined to container Passenger vehicle fire		8 2
Outside rubbish, trash or waste fire		1
Subside Tubbish, trash of waste file		1
	Total	12
Overpressure Rupture, Explosion, Overheat (no	fire)	
Overpressure rupture of steam boiler		3
Excessive heat, scorch burns with no ignition		1
	Total –	4
Rescue & Emergency Medical Service Incident		
Medical assist, assist EMS crew		3
EMS Call, excluding vehicle accident with injury		29
Motor vehicle accident with injuries		1
Motor vehicle accident no injuries		1
Lock-in (if lock out, use 511)		6
Removal of victim(s) from stalled elevator		2
	Total –	42
Hazardous Condition (No Fire)		
Hazardous condition, Other		2
Combustible/flammable gas/liquid condition, other		1
Gasoline or other flammable liquid spill		3
Gas leak (natural gas or LPG)		13
Oil or other combustible liquid spill		8
Carbon monoxide incident		2
Heat from short circuit (wiring), defective/worn		3
Overheated motor		1

Incident Type Count Power line down 53 Arcing, shorted electrical equipment 3 Building or structure weakened or collapsed 1 Vehicle accident, general cleanup 7 Total 97 Service Call 1 Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Policic matter 1 Public service 10 Cover assignment, standby, move up 1 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total 17 False Alarm & False Call 10 Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation, no fire – unintentional 8 Detector activation, no fire – uni			G (
Arcing, shorted electrical equipment 3 Building or structure weakened or collapsed 1 Vehicle accident, general cleanup 7 Total 97 Service Call Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Total 83 Good Intent Call Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 2 CO detector activation due to malfunction 3 Smoke detector activation, no fire – unintentional </td <td>Incident Type</td> <td></td> <td>Count</td>	Incident Type		Count
Arcing, shorted electrical equipment 3 Building or structure weakened or collapsed 1 Vehicle accident, general cleanup 7 Total 97 Service Call Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Total 83 Good Intent Call Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 2 CO detector activation due to malfunction 3 Smoke detector activation, no fire – unintentional </td <td></td> <td></td> <td></td>			
Arcing, shorted electrical equipment 3 Building or structure weakened or collapsed 1 Vehicle accident, general cleanup 7 Total 97 Service Call 1 Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Total 83 Good Intent Call 7 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 2 CO detector activation due to malfunction 3 Smoke detector activation, no fire – unintentional 8	Power line down		53
Building or structure weakened or collapsed 1 Vehicle accident, general cleanup 7 Total Total Service Call Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 3 Smoke detector activation, no fire – unintentional 2 Alarm system sounded due to malfunction 3 Smoke detector activation, no fire – unintentional 2			
Vehicle accident, general cleanup 7 Total 97 Service Call 1 Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 10 Cover assignment, standby, move up 1 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 2 CO detector activation due to malfunction 3 Smoke detector activation, no fire – unintentional 8 Detector activation, no fire – unintentional 2 Alarm system activation, no fire – unintentional 4			1
Service Call 1 Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Total 83 Good Intent Call 6 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Sprinkler activation due to malfunction 10 Alarm system sounded due to malfunction 2 CO detector activation, no fire – unintentional 8 Detector activation, no fire – unintentional 2 Alarm system activation, no fire – unintentional 4			7
Service Call 1 Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Total 83 Good Intent Call 6 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 10 Alarm system sounded due to malfunction 3 Smoke detector activation, no fire – unintentional 2 Alarm system activation, no fire – unintentional 4			
Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Cover assignment, standby, move up 1 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total 17 False Alarm & False Call 10 Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 10 Alarm system sounded due to malfunction 3 Smoke detector activation, no fire – unintentional 8 Detector activation, no fire – unintentional 2 Alarm system activation, no fire – unintentional 4		Total	97
Lock-out 1 Water evacuation 1 Water or steam leak 4 Smoke or odor removal 1 Public service assistance, Other 1 Assist police or other governmental agency 60 Police matter 1 Public service 10 Cover assignment, standby, move up 1 Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total 17 False Alarm & False Call 10 Bomb scare – no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 10 Alarm system sounded due to malfunction 3 Smoke detector activation, no fire – unintentional 8 Detector activation, no fire – unintentional 2 Alarm system activation, no fire – unintentional 4	Genetice Coll		
Water evacuation1Water or steam leak4Smoke or odor removal1Public service assistance, Other1Assist police or other governmental agency60Police matter1Public service10Cover assignment, standby, move up1Total 83Good Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	Service Call		
Water evacuation1Water or steam leak4Smoke or odor removal1Public service assistance, Other1Assist police or other governmental agency60Police matter1Public service10Cover assignment, standby, move up1Total83Good Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch addressSmoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	Lock-out		1
Water or steam leak4Smoke or odor removal1Public service assistance, Other1Assist police or other governmental agency60Police matter1Public service10Cover assignment, standby, move up1Total 83Good Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			1
Smoke or odor removal1Public service assistance, Other1Assist police or other governmental agency60Police matter1Public service10Cover assignment, standby, move up1Total 83Good Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			4
Public service assistance, Other1Assist police or other governmental agency60Police matter1Public service10Cover assignment, standby, move up1Total 83Good Intent CallDispatched & cancelled en routeDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare - no bomb1Sprinkler activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire - unintentional8Detector activation, no fire - unintentional2Alarm system activation, no fire - unintentional4			1
Assist police or other governmental agency60Police matter1Public service10Cover assignment, standby, move up1Total 83Good Intent CallDispatched & cancelled en routeNo Incident found on arrival at dispatch addressSmoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			1
Police matter1Public service10Cover assignment, standby, move up1Total83Good Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	•		60
Public service10Cover assignment, standby, move up1Total83Good Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction1Sprinkler activation due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			
Cover assignment, standby, move up1TotalGood Intent CallDispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total17TotalTotalBomb scare - no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction3Smoke detector activation, no fire - unintentional8Detector activation, no fire - unintentional2Alarm system activation, no fire - unintentional4			10
Total83Good Intent Call6Dispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1TotalTotal17False Alarm & False CallBomb scare - no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction3Smoke detector activation, no fire - unintentional8Detector activation, no fire - unintentional2Alarm system activation, no fire - unintentional4			
Good Intent Call Dispatched & cancelled en route 6 No Incident found on arrival at dispatch address 9 Smoke scare, odor of smoke 1 HazMat release investigation w/no HazMat 1 Total 17 False Alarm & False Call Bomb scare - no bomb 1 Sprinkler activation due to malfunction 1 Smoke detector activation due to malfunction 2 CO detector activation due to malfunction 3 Smoke detector activation, no fire – unintentional 8 Detector activation, no fire – unintentional 2 Alarm system activation, no fire – unintentional 4			
Dispatched & cancelled en route6No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4		Total	83
No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare - no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire - unintentional8Detector activation, no fire - unintentional2Alarm system activation, no fire - unintentional4	Good Intent Call		
No Incident found on arrival at dispatch address9Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total 17False Alarm & False CallBomb scare - no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire - unintentional8Detector activation, no fire - unintentional2Alarm system activation, no fire - unintentional4			(
Smoke scare, odor of smoke1HazMat release investigation w/no HazMat1Total1False Alarm & False Call1Bomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			
HazMat release investigation w/no HazMat1Total17False Alarm & False Call1Bomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			9
Total17False Alarm & False Call1Bomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			1
False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, due to malfunction3Detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	riaziviai release nivestigation w/no Haziviai		1
False Alarm & False CallBomb scare – no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, due to malfunction3Detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4		Total -	17
Bomb scare - no bomb1Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, due to malfunction3Detector activation, no fire - unintentional8Detector activation, no fire - unintentional2Alarm system activation, no fire - unintentional4	False Alarm & False Call	1 7441	±/
Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	a mayo a dana ha so a gayo wala		
Sprinkler activation due to malfunction1Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	Bomb scare – no bomb		1
Smoke detector activation due to malfunction10Alarm system sounded due to malfunction2CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	Sprinkler activation due to malfunction		
CO detector activation due to malfunction3Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			10
Smoke detector activation, no fire – unintentional8Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4	Alarm system sounded due to malfunction		2
Detector activation, no fire – unintentional2Alarm system activation, no fire – unintentional4			3
Alarm system activation, no fire – unintentional 4	Smoke detector activation, no fire - unintentional		8
			2
	Alarm system activation, no fire – unintentional		4
			1
		m	
Total 32		Total	32



Nutley Fire Department Monthly Director's Report Fire Prevention Inspections and Activity March 2018

Incident Type	Count	
Life Hazard	31	
Life Hazard Re-inspect	1	
Non-Life Hazard	6	
Non-Life Re-inspect	1	
Housing	5	
Housing Re-inspect	3	
Complaints	2	
Other	21	
Investigations	0	
Court	0	
Sub Code	0	
Shift Coverage	2	
Training	3	
Meetings	1	
Public Education	0	
Community Events	0	
Senior Smoke Detect	0	
Monthly Totals	76	

Monthly Totals



Nutley Municipal Court Monthly Report- March 2018

Summons/Complaints		Count	
Code Violations		0	
Town Ordinances		8	
Complaints		16	
Warrants		12	
Private Citizen Complaints		7	
Traffic Violations		328	
Parking Violations		1334	
	Total	1705	



Nutley Rescue Squad Monthly Report March 2018

Incident Type	Count	
Car Accident	15	
Pedestrian Struck	0	
Aid to Injured	57	
Aid to Sick	139	
Aid to Sick w/oxygen	51	
Fire	0	
Other – Falls, etc.	14	
Set up Oxygen	0	
Standby/ Hazmat	3	
Transport	0	
	Totals 279	

ER Transports	171	
ALS Assist	27	
AED Used	1	