

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depth determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system under construction; no base elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE










OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depth of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year flood plain.
- ZONE D** Areas in which flood hazards are undetermined.

UNDEVELOPED COASTAL BARRIERS

-  Flood Boundary
 -  Floodway Boundary
 -  Zone D Boundary
 -  Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zone.
 -  Base Flood Elevation Line; Elevation in Feet*
 -  Cross Section Line
 -  Base Flood Elevation in Feet Where Uniform Within Zone*
 -  Elevation Reference Mark
 -  Mile Mark
- *ed to the National Geodetic Vertical Datum of 1929

NOTES

is for use in administering the National Flood Insurance Program; it necessarily identify all planimetric features outside Special Flood Hazard areas subject to flooding, particularly from local drainage sources size.

Special Flood Hazard (100-year flood) include zones, A, AE, AI-A30, A99, V, VE and VV-A20.

Areas not in Special Flood Hazard Areas may be protected by flood control works of the floodways were computed at cross sections and interpolated cross sections. The floodways were based on hydraulic considerations and to requirements of the Federal Emergency Management Agency.

widths in some areas may be too narrow to show to scale. Refer to Data Table where floodway width is shown at 1000 feet.

see flood elevations apply only landward of the shoreline.

incorporates approximate boundaries of coastal barriers established by Coastal Barrier Resources Act (PL 97-348).

* Limits shown are current as of the date of this map. The user should appropriate community officials to determine if corporate limits have subsequent to the issuance of this map.

ing panels, see separately printed Map Index.

MAP REPOSITORY
Courthouse, Marysville, Ohio (Maps available for reference only; distribution.)


INITIAL IDENTIFICATION:
FEBRUARY 17, 1978

FLOOD HAZARD BOUNDARY MAP REVISION:

FLOOD INSURANCE RATE MAP EFFECTIVE:
SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP REVISIONS:

line if flood insurance is available, contact an insurance agent or call national Flood Insurance Program at (800) 638-6620.



NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

**UNION COUNTY,
OHIO
(UNINCORPORATED AREAS)**


PANEL 25 OF 150

COMMUNITY—PANEL NUMBER:
390808 0025 B

EFFECTIVE DATE:
SEPTEMBER 27, 1991



Federal Emergency Management Agency



ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION (FEET NGVD)	DESCRIPTION OF LOCATION
RM18	984.92	Top of chiseled cross in southeast wingwall of Osbourne Road bridge over Fulton Creek.
RM19	992.14	Top of chiseled cross in southwest wingwall of McPeck Road bridge over Fulton Creek.
RM20	1,008.87	Top of chiseled cross in southwest wingwall of Turner Road bridge over Fulton Creek.
RM21	1,023.66	Top of chiseled cross in southwest wingwall of State Route 31 bridge over Fulton Creek.

This map does not show areas of small areas of water. Certain structures and boundaries between floodwaters and coastal waters. This map is subject to change. To determine the National Flood Insurance Program (NFIP) status of a property, contact the NFIP office for the community.

MAP REPOSITORY

Worhouse, Marysville, Ohio (Maps available for reference only; reproduction.)



NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

UNION COUNTY,
OHIO
(UNINCORPORATED AREAS)

MAP INDEX


PANELS PRINTED: 25, 50, 75, 100,
125, 150

COMMUNITY-PANEL NUMBERS
390808 0025-0150


EFFECTIVE DATE:
SEPTEMBER 27, 1991



Federal Emergency Management Agency



County Co.
not for dis.



REFERENCE MARK	ELEVATION (FEET NGVD)	DESCRIPTION OF LOCATION
RM7	935.51	U.S. Geological Survey tablet stamped "41 FPV 1959 936" set in southwest abutment of State Route 4 bridge over Fulton Creek.
RM8	946.46	Top of chiseled cross in northeast wingwall of Kinney Pike bridge over Elliot Run.
RM9	936.71	Union County benchmark set in northeast corner of east abutment of Bethlehem Claibourne Road bridge over Fulton Creek.
RM10	947.58	Top of chiseled cross in northeast wingwall of Kinney Pike bridge over Fulton Creek.
RM11	955.27	Top of chiseled cross in northeast wingwall of Sneider Road bridge over Fulton Creek.
RM12	960.52	Top of chiseled cross in northwest wingwall of Zook Road bridge over Fulton Creek.
RM13	964.42	Top of chiseled cross in northeast wingwall of Claibourne Road bridge over Fulton Creek.
RM14	970.64	U.S. Geological Survey tablet stamped "33 FPV 1959 971" set in southwest abutment of State Route 47 bridge over Fulton Creek.
RM15	976.06	Top of chiseled cross in northeast wingwall of Miller Road Bridge over Fulton Creek.
RM16	984.97	Top of chiseled cross in southeast concrete banister of Boundary Road bridge over Big Run.
RM17	977.86	Top of chiseled cross in southwest wingwall of Alder Road bridge over Fulton Creek.

This map does not include all of small structures or structures. Boundaries between cities with regard to Floodway Floodway Coastal Bar. This map is under the Corporate contact as changed in for adjacent.

County C not for d
 To determine the Nation

1
 2
 3
 4
 5
 6

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system under construction; no base elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE





OTHER FLOOD AREAS


- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.


OTHER AREAS


- ZONE X** Areas determined to be outside 500-year flood plain.
- ZONE D** Areas in which flood hazards are undetermined.


UNDEVELOPED COASTAL BARRIERS


-  Flood Boundary
-  Floodway Boundary
-  Zone D Boundary
-  Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zones

567  Base Flood Elevation Line; Elevation in Feet

 Cross Section Line

EL. 191  Base Flood Elevation in Feet Where Uniform Within Zone

RMB  Elevation Reference Mark

13.0  Mile Mark

to the National Geodetic Vertical Datum of 1929

NOTES

For use in administering the National Flood Insurance Program, it is necessary to identify all planimetric features outside Special Flood Hazard areas subject to flooding, particularly from local drainage sources.

Special Flood Hazard 100-year flood include zones, A, AE, AH-AO, AP, V, VE and V99. Areas not in Special Flood Hazard Areas may be protected by flood control

of the floodways were computed at cross sections and interpolated across sections. The floodways were based on hydraulic considerations and to requirements of the Federal Emergency Management Agency. Widths in some areas may be too narrow to show to scale. Refer to Data Table where floodway width is shown at 100 inch.

In flood elevations apply only landward of the shoreline. Incorporates approximate boundaries of coastal barriers established Coastal Barrier Resources Act (PL 97-348).

Limits shown are current as of the date of this map. The user should appropriate community officials to determine if corporate limits have changed since the issuance of this map. For more information on flood panels, see separately printed Map Index.

MAP REPOSITORY

Map Repository, Marysville, Ohio (Maps available for reference only; distribution.)

INITIAL IDENTIFICATION:
FEBRUARY 17, 1978

FLOOD HAZARD BOUNDARY MAP REVISION:


FLOOD INSURANCE RATE MAP EFFECTIVE:
SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP REVISIONS:

If flood insurance is available, contact an insurance agent or call National Flood Insurance Program at (800) 638-6620.



APPROXIMATE SCALE IN FEET



NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

**UNION COUNTY,
OHIO
(UNINCORPORATED AREAS)**

PANEL 50 OF 150

COMMUNITY-PANEL NUMBER:

390808 0050 B

EFFECTIVE DATE:

SEPTEMBER 27, 1991



Federal Emergency Management Agency

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually shear flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system under construction; no base elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE










OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year flood plain.
- ZONE D** Areas in which flood hazards are undetermined.

UNDEVELOPED COASTAL BARRIERS

-  Flood Boundary
 -  Floodway Boundary
 -  Zone D Boundary
 -  Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zone.
 -  Base Flood Elevation Line; Elevation in Feet*
 -  Cross Section Line
 -  Base Flood Elevation in Feet Where Uniform Within Zone*
 -  Elevation Reference Mark
 -  Mile Mark
- *Referenced to the National Geodetic Vertical Datum of 1929

NOTES

1. This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all planimetric features outside Special Flood Hazard Areas that are subject to flooding, particularly from local drainage sources.

2. Special Flood Hazard (100-year flood) include zones, A, AE, AH-A30, A99, V, VE and V1-V30. Areas not in Special Flood Hazard Areas may be protected by flood control structures.

3. Floodway widths were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations and to requirements of the Federal Emergency Management Agency.

4. Floodway widths in some areas may be too narrow to show to scale. Refer to Data Table where floodway width is shown as 100 inches.

5. Base flood elevations apply only landward of the shoreline.

6. Incorporates approximate boundaries of coastal barriers established by the Coastal Barrier Resources Act (PL 99-340).

7. Limits shown are current as of the date of this map. The user should appropriate community officials to determine if corporate limits have changed subsequent to the issuance of this map.

8. For more information, see separately printed Map Index.

MAP REPOSITORY

Courthouse, Marysville, Ohio (Maps available for reference only; distribution.)


INITIAL IDENTIFICATION:
FEBRUARY 17, 1978

FLOOD HAZARD BOUNDARY MAP REVISION:

FLOOD INSURANCE RATE MAP EFFECTIVE:
SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP REVISIONS:

If flood insurance is available, contact an insurance agent or call National Flood Insurance Program at (800) 438-6622.



NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

**UNION COUNTY,
OHIO
(UNINCORPORATED AREAS)**


PANEL 75 OF 150

**COMMUNITY—PANEL NUMBER:
390808 0075 B**


**EFFECTIVE DATE:
SEPTEMBER 27, 1991**




Federal Emergency Management Agency



This map does not show areas of small areas of the ACI. Certain a structure located between with regular floodway. Coastal. This map under the...
 Corporate contact changed for adj...
 County not for...
 To deter the Nat...





ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION (FEET NGVD)	DESCRIPTION OF LOCATION
RMS	974.38	Iron post at southwest corner of public school grounds, about 3,500 feet east of U.S. Route 36 bridge over Mill Creek.

LEGEND

- SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD**
- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined; for areas of alluvial fan flooding, velocities also determined.
- ZONE ABB** To be protected from 100-year flood by Federal flood protection system under construction; no base flood elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.
- FLOODWAY AREAS IN ZONE AE**
- OTHER FLOOD AREAS**
- ZONE X** Areas of 500-year flood areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile and areas protected by levees from 100-year flood.
- OTHER AREAS**
- ZONE X** Areas determined to be outside 500-year flood plan.
- ZONE D** Areas in which flood hazards are undetermined.
- UNDEVELOPED COASTAL BARRIERS**
- Flood Boundary
- Floodway Boundary
- Zone D Boundary
- Boundary Dividing Special Flood Hazard Zones and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zone
- Base Flood Elevation Line; Elevation in feet
- Cross Section Line
- Base Flood Elevation in Feet Where Uniform Within Zone
- Elevation Reference Mark
- Mile Mark

NOTES

This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all planimetric features outside Special Flood Hazard Area or all areas subject to flooding, particularly from local drainage sources of small size.

Areas of Special Flood Hazard (100-year flood) include zones, A, AE, A1-A30, AH, AO, A99, V, VE and V1-V20. Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the Federal Emergency Management Agency.

Floodway widths in some areas may be too narrow to show to scale. Refer to Floodway Data Table where floodway width is shown at 1/200 inch.

Coastal base flood elevations apply only landward of the shoreline.

This map incorporates approximate boundaries of coastal barriers established under the Coastal Barrier Resources Act (PL 97-348).

Corporate limits shown are current as of the date of this map. The user should contact appropriate community officials to determine if corporate limits have changed subsequent to the issuance of this map.

For adjoining panels, see separately printed Map Index.

MAP REPOSITORY

County Courthouse, Marysville, Ohio (Maps available for reference only, not for distribution.)

INITIAL IDENTIFICATION:

FEBRUARY 17, 1978

FLOOD HAZARD BOUNDARY MAP REVISION:

SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP EFFECTIVE:


SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP REVISIONS:

To determine if flood insurance is available, contact an insurance agent or call the National Flood Insurance Program at (800) 638-6620.



APPROXIMATE SCALE IN FEET



NATIONAL FLOOD INSURANCE PROGRAM

FIRM FLOOD INSURANCE RATE MAP

UNION COUNTY, OHIO (UNINCORPORATED AREAS)

PANEL 100 OF 150

COMMUNITY-PANEL NUMBER:


390808 0100 B

EFFECTIVE DATE:

SEPTEMBER 27, 1991



Federal Emergency Management Agency



ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION (FEET NGVD)	DESCRIPTION OF LOCATION
RM3	992.52	Tablet in southwest wing wall of North Darby Coe Road bridge over tributary to Big Darby Creek.
RM4	1,006.03	Cap on iron post located 60 feet west of Collins Road bridge over Big Darby Creek.

This map does not include all areas of small structures. Boundaries between counties with regard to Floodway, Floodway Coastal bar. This map is under the Corporate contact as changed for adjacent County Co not for di

To determine the Nation

County Co not for di

To determine the Nation

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AD** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection systems under construction; no base elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE










OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year flood plain.
- ZONE D** Areas in which flood hazards are undetermined.

UNDEVELOPED COASTAL BARRIERS

-  Flood Boundary
 -  Floodway Boundary
 -  Zone D Boundary
 -  Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zone.
 -  Base Flood Elevation Line; Elevation in Feet*
 -  Cross Section Line
 -  Base Flood Elevation in Feet Where Uniform Within Zone*
 -  Elevation Reference Mark
 -  Mille Mark
- * to the National Geodetic Vertical Datum of 1929

NOTES

For use in administering the National Flood Insurance Program; it usually identifies all planimetric features outside Special Flood Hazard areas subject to flooding, particularly from local drainage sources.

Special Flood Hazard (100-year flood) include zones, A, AE, AI-A30, 99, V, VE and VI-V30.

Areas not in Special Flood Hazard Areas may be protected by flood control.

The floodways were computed at cross sections and interpolated on sections. The floodways were based on hydrologic considerations to requirements of the Federal Emergency Management Agency. Widths in some areas may be too narrow to show to scale. Refer to Data Table where floodway width is shown at 100 inch. Flood elevations apply only landward of the shoreline.

incorporates approximate boundaries of coastal barriers established Coastal Barrier Resources Act (PL 97-348).

limits shown are current as of the date of this map. The user should consult community officials to determine if corporate limits have changed subsequent to the issuance of this map.

For more information, see separately printed Map Index.

MAP REPOSITORY:
 Statehouse, Marysville, Ohio (Maps available for reference only; distribution.)

INITIAL IDENTIFICATION:
 FEBRUARY 17, 1978

FLOOD HAZARD BOUNDARY MAP REVISION:


FLOOD INSURANCE RATE MAP EFFECTIVE:
 SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP REVISIONS:

If flood insurance is available, contact an insurance agent or call the Flood Insurance Program at (800) 638-6620.



APPROXIMATE SCALE IN FEET



NATIONAL FLOOD INSURANCE PROGRAM

FIRM
 FLOOD INSURANCE RATE MAP


UNION COUNTY,
 OHIO
 (UNINCORPORATED AREAS)

PANEL 125 OF 150

COMMUNITY-PANEL NUMBER:
 390808 0125 B
 EFFECTIVE DATE:
 SEPTEMBER 27, 1991



Federal Emergency Management Agency



ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION (FEET NGVD)	DESCRIPTION OF LOCATION
RM1	936.87	Tablet in bottom of concrete post at intersection of Conrail and Converse Road.
RM2	959.66	Tablet in concrete post located at intersection of Long Road and Bellpoint Road.

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AD** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system under construction; no base elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood, areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile, and areas protected by levees from 100-year flood.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year flood plain.
- ZONE D** Areas in which flood hazards are undetermined.

UNDEVELOPED COASTAL BARRIERS

- Flood Boundary
- Floodway Boundary
- Zone D Boundary

Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zones

- Base Flood Elevation Line: Elevation in Feet
- Cross Section Line
- (EL 19) Base Flood Elevation in Feet Where Uniform Within Zone*
- RM5, RM3, etc. Elevation Reference Mark
- M3.0, etc. Mile Mark

*Referenced to the National Geodetic Vertical Datum of 1929

NOTES

This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all planimetric features outside Special Flood Hazard Area or all areas subject to flooding, particularly from local drainage sources of small size.

Areas of Special Flood Hazard (100-year flood) include zones A, AE, AH-A30, AD, A99, V, VE and VI-V30.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydrologic considerations with regard to requirements of the Federal Emergency Management Agency. Floodway widths in some areas may be too narrow to show to scale. Refer to Floodway Data Table where floodway width is shown at 1/200 inch.

Coastal base flood elevations apply only landward of the shoreline.

This map incorporates approximate boundaries of coastal barriers established under the Coastal Barrier Resources Act (PL 97-348).

Corporate limits shown are current as of the date of this map. The user should contact appropriate community officials to determine if corporate limits have changed subsequent to the issuance of this map.

For adjoining panels, see separately printed Map Index.

MAP REPOSITORY
County Courthouse, Marysville, Ohio (Maps available for reference only, not for distribution.)

INITIAL IDENTIFICATION:
FEBRUARY 17, 1978

FLOOD HAZARD BOUNDARY MAP REVISION:

FLOOD INSURANCE RATE MAP EFFECTIVE:
SEPTEMBER 27, 1991

FLOOD INSURANCE RATE MAP REVISIONS:

To determine if flood insurance is available, contact an insurance agent or call the National Flood Insurance Program at (800) 638-6620.

APPROXIMATE SCALE IN FEET
2000 0 2000

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

UNION COUNTY, OHIO
(UNINCORPORATED AREAS)

PANEL 150 OF 150

COMMUNITY-PANEL NUMBER:
390808 0150 B

EFFECTIVE DATE:
SEPTEMBER 27, 1991

Federal Emergency Management Agency